

Implementación de SAML en PingFederate

Implementación de SAML en PingFederate

Este artículo contiene configuraciones de muestra para Bitwarden **Inicio de sesión con SSO** (SAML 2.0) implementaciones con PingFederate.

Utilice esto como material de referencia para el artículo [Configuración del inicio de sesión con SSO \(SAML 2.0\)](#).

Portal PingFederate

La siguiente es una muestra de implementación de SAML 2.0 con Bitwarden en el Portal PingFederate:

< Integration

SP Connections

SP Adapters

Target URL Mapping

SP Default URLs

Policy Contract Adapter Mappings

Adapter-to-Adapter Mappings

SP Connections | SP Connection

Connection Type	Connection Options	Metadata URL	General Info	Browser SSO	Credentials
-----------------	--------------------	--------------	--------------	-------------	-------------

Activation & Summary

Summary information for your SP connection. Click a heading in a section to edit a particular configuration setting.



Summary

SP Connection

Connection Type

Connection Role	SP
Browser SSO Profiles	true
Protocol	SAML 2.0
Connection Template	No Template
WS-Trust STS	false
Outbound Provisioning	false

Connection Options

Browser SSO	true
IdP Discovery	false
Attribute Query	false

General Info

Partner's Entity ID (Connection ID)	https://sso.bitwarden.com/saml2
Base URL	https://vault.bitwarden.com/#/sso
Company	Bitwarden Inc.
Application Name	Bitwarden
Application Icon URL	https://vault.bitwarden.com/images/logo-dark@2x.png

Browser SSO

SAML Profiles

IdP-Initiated SSO	false
IdP-Initiated SLO	false
SP-Initiated SSO	true
SP-Initiated SLO	false

Assertion Lifetime

Valid Minutes Before	5
Valid Minutes After	5

Assertion Creation

Identity Mapping

Enable Standard Identifier	true
----------------------------	------

Attribute Contract

Attribute	SAML_SUBJECT
-----------	--------------

Subject Name Format	urn:oasis:names:tc:SAML:1.1:nameid-format:unspecified
---------------------	-------------------------------------------------------

Authentication Source Mapping

Adapter instance name	Bitwarden Adapter
-----------------------	-------------------

Adapter Instance

Selected adapter	Bitwarden Adapter
------------------	-------------------

Mapping Method

Adapter	HTML Form IdP Adapter
---------	-----------------------

Mapping Method	Use only the Adapter Contract values in the mapping
----------------	-----------------------------------------------------

Attribute Contract Fulfillment

SAML_SUBJECT	username (Adapter)
--------------	--------------------

Issuance Criteria

Criterion	(None)
-----------	--------

Protocol Settings

Assertion Consumer Service URL

Endpoint	URL: https://sso.bitwarden.com/saml2/cf: - a95/Acs (POST)
----------	-----------------------------------------------------------

Allowable SAML Bindings

Artifact	false
----------	-------

POST	true
------	------

Redirect	false
----------	-------

SOAP	false
------	-------

Signature Policy

Require digitally signed AuthN requests	false
-----------------------------------------	-------

Always Sign Assertion	true
-----------------------	------

Sign Response As Required	false
---------------------------	-------

Encryption Policy

Status	Inactive
--------	----------

Credentials

Digital Signature Settings

Selected Certificate	01:68:92:73:DA:43 (CN=Config Signing Cert, OU=Dev, O=Ping, L=Denver, ST=CO, C=US)
----------------------	-----------------------------------------------------------------------------------

Include Certificate in KeyInfo	true
--------------------------------	------

Include Raw Key in KeyValue	true
-----------------------------	------

Selected Signing Algorithm	RSA SHA256
----------------------------	------------

Cancel

Previous

Save

saml-pingfederate.png

Pantalla SSO de Bitwarden

La siguiente es una muestra de implementación de SAML 2.0 con PingFederate en la pantalla de inicio de sesión único de Bitwarden:

trkGDjCnp2Lr998AV00S1A2Tc0lk3CSjLvpWp03G4FpeyE/z/q2RZz

Outbound Signing Algorithm

http://www.w3.org/2001/04/xmldsig-more#rsa-sha256

- Allow Unsolicited Authentication Response
- Disable Outbound Logout Requests
- Want Authentication Requests Signed

Save Cancel

saml-pingfederate-bitwarden.png