

# PASSWORD MANAGER > IMPORT & EXPORT

# Import Data to your Vault

View in the help center: https://bitwarden.com/help/import-data/

# **D** bit warden

# Import Data to your Vault

Import data to your individual Bitwarden vault for easy migration from any password management solution. You can also import from one Bitwarden vault to another or import an encrypted export.

For a full list of supported import formats, refer to this FAQ item, or use one of these articles for importing from the most popular solutions:

- Import from LastPass
- Import from 1Password
- Import from Firefox
- Import from Google Chrome or Chromium
- Import from Microsoft Edge
- Import from Password Safe

## 🖓 Tip

If you need to import to an organization instead of to your individual vault, refer to this article.

# Import to your individual vault

Data can be imported to Bitwarden from the web vault, CLI, desktop app, or browser extension. Data is encrypted locally before being sent to the server for storage. To import your data:

# ⇒Web app

To import data to your vault:

- 1. Log in to the web vault at https://vault.bitwarden.com, https://vault.bitwarden.eu, or https://your.bitwarden.domain.com if self-hosting.
- 2. Select **Tools** → **Import data** from the navigation:

# **D** bitwarden

#### Secure and trusted open source password manager for business

Password Manager	Import data	000	
🗇 Vaults	Destination		
🖉 Send	Vault (required) —		
🖏 Tools 🛛 🔿	My vault		•
Generator			•
Import data	Select this option if you want the imported file contents moved to a folder		
Export vault			
	Data		
Settings	File format (required) Select Select the import file Choose File No file chosen or copy/paste the import file contents Import data		

3. Complete the following fields from the drop down menus:

- Vault: Select the import destination such as your individual vault or an organizational vault that you have access to.
- Folder or Collection: Select if you would like the imported content moved to a specific folder or organization collection that you have access to.
- File format: Select the import file format.

4. Select Choose File and add the file to import or copy/paste the contents of your file into the input box.

#### ▲ Warning

Importing does not check whether items in the file to import already exist in your vault. If you import multiple files or import files with items already in your vault, **this will create duplicates**.

5. Select **Import data** to trigger the import. If you are importing a password protected . j son file, enter the password into the **Confirm** vault import window that will appear.

# **U bit**warden

6. After successful import, delete the import source file from your computer. This will protect you in the event your computer is compromised.

Additional items such as file attachments, Sends, and trash will need to be manually uploaded to your vault.

#### ⇒Browser extension

To import data to your vault:

1. In the Settings tab, select Vault and choose the Import items option.

2. Complete the following fields from the drop down menus:

- 1. Vault: Select the import destination such as your individual vault or an organizational vault that you have access to.
- 2. Folder or Collection: Select if you would like the imported content moved to a specific folder or organization collection that you have access to.
- 3. File format: Select the import file format.
- 3. Select Choose File and add the file to import or copy/paste the contents of your file into the input box.

#### \land Warning

Importing does not check whether items in the file to import already exist in your vault. If you import multiple files or import files with items already in your vault, **this will create duplicates**.

- 4. Select **Import Data** to trigger the import. If you are importing a password protected . j son file, enter the password into the **Confirm Vault Import** window that will appear.
- 5. After successful import, delete the import source file from your computer. This will protect you in the event your computer is compromised.

# ⇒Desktop app

To import data to your vault:

- 1. Select File > Import data.
- 2. Complete the following fields from the drop down menus:
  - 1. Import destination: Select the import destination such as your individual vault or an organizational vault that you have access to.
  - 2. Folder or Collection: Select if you would like the imported content moved to a specific folder or organization collection that you have access to.
  - 3. File format: Select the import file format.
- 3. Select Choose File and add the file to import or copy/paste the contents of your file into the input box.

#### **△** Warning

Importing does not check whether items in the file to import already exist in your vault. If you import multiple files or import files with items already in your vault, **this will create duplicates**.

# **D** bit warden

- 4. Select **Import Data** to trigger the import. If you are importing a password protected .json file, enter the password into the **Confirm Vault Import** window that will appear.
- 5. After successful import, delete the import source file from your computer. This will protect you in the event your computer is compromised.

# ⇒CLI

To import data to your vault from the CLI, use the following command:

Bash		
bw import <format> <path></path></format>		

bw import requires a format (use bw import --formats to retrieve a list of formats) and a path, for example:

Bash	
bw import <format> /Users/myaccount/Documents/mydata.c</format>	csv

After successful import, delete the import source file from your computer. This will protect you in the event your computer is compromised.

### Troubleshooting

### Importing file attachments

File attachments must be manually migrated to your Bitwarden vault, as they are currently not including in bulk import operations. Please note that storage of file attachments is available only for premium users, including members of paid organizations (families, teams, or enterprise).

### Length-related import errors

The following error messages, typically received when attempting to import a .CSV, indicate that an item in your import file has a specified value that exceeds the allowed **encrypted** character limit for its field type:

# **D** bit warden

Dat	Import	error	×	
		he errors below and try again.		
s S	Name	Description [2] [Login] "My New Item": The field Notes exceeds the maximum encrypted value length of 10000 characters		data/
()  }	Ok			

#### Cipher errors in the web vault

To solve this issue, open the **.csv** file in a text editor or spreadsheet program and remove or reduce the character count of the offending item. Bitwarden won't import your **.csv** file until it is free of offenses. The contents of the error messages contain several pieces of pertinent data to help you identify the offending item. For example, in the above example:

- [1] identifies the index number where the offending item is located, adjusted to match row numbering in most spreadsheet programs.
- [Login] identifies the vault item type of the offending item.
- "Facebook" identifies the name of the offending item.
- Notes indicates the field (column) where the character limit is exceeded.
- 10000 indicates the character limit allowed for that field (column).

### **⊘** Tip

On import, the character count of any given field is increased due to encryption, meaning that an 8000-character **Notes** field in your **.csv** will scale to 10,000+ characters when it comes into contact with Bitwarden, triggering this error. As a rule of thumb, character counts will grow between 30–50% when encrypted.

If you continue to have trouble locating the offending item using the data provided in the error, it may help to focus first on notes as these are frequently the cause of this error.

### File size import limitations

Imports may be rejected for exceeding any of the following data limitations:

- If your import has more than 40,000 items.
- If your import has more than 2,000 folders.
- If your import has more than 2,000 collections.

# **U bit**warden

- If your import has more than 7,000 item-folder relationships (e.g. a single item in 3 folders can be said to have 3 item-folder relationships).
- If your import has more than 80,000 item-collection relationships (e.g. a single item in 3 collections can be said to have 3 item-collection relationships).

## File contains unassigned items

If you are a user, rather than an admin or owner, importing data to an organization requires that all imported credentials have at least one collection associated with them. To resolve this error, you can:

- Select an existing collection that you have **Can manage** access to from the **Collection** dropdown on the import screen before importing your data. Doing so will add the items to this collection.
- Specify a new collection name for the unassigned items in your import file. Doing so will automatically create that collection and add the items to it. For help conditioning your import file, refer to this article.

### (i) Note

This error can only occur when your organization has the Limit collection creation and deletion to owners and admins option off, as this will allow users to create and import to their own collections.