

SELF-HOSTING > INSTALL & DEPLOY GUIDES >

Linux Standard Deployment

View in the help center:
<https://bitwarden.com/help/install-on-premise-linux/>

Linux Standard Deployment

This article will walk you through the procedure to install and deploy Bitwarden to your own Linux server. Bitwarden can also be installed and deployed on [Windows](#) machines. Please review Bitwarden [software release support](#) documentation.

System specifications

	Minimum	Recommended
Processor	x64, 1.4GHz	x64, 2GHz dual core
Memory	2GB RAM	4GB RAM
Storage	12GB	25GB
Docker Version	Engine 26+ and Compose ^a	Engine 26+ and Compose ^a

^a - Docker Compose is automatically installed as a plugin when you download Docker Engine.

Tip

If you are looking for a quality provider with affordable prices, we recommend DigitalOcean. [Get started today](#) or read our [blog post about Bitwarden on DigitalOcean](#).

TL;DR

The following is a summary of the installation procedure in this article. Links in this section will jump to detailed **Installation procedure** sections:

1. **Configure your domain.** Set DNS records for a domain name pointing to your machine, and open ports 80 and 443 on the machine.
2. **Install Docker and Docker Compose** on your machine.
3. **Create a Bitwarden user & directory** from which to complete installation.
4. Retrieve an installation id and key from <https://bitwarden.com/host> for use in installation.
For more information, see [What are my installation id and installation key used for?](#)
5. **Install Bitwarden** on your machine.
6. **Configure your environment** by adjusting settings in `./bwdata/env/global.override.env`.

 **Tip**

At a minimum, configure the `globalSettings__mail__smtp...` variables to setup an email server for inviting and verifying users.

7. Start your instance.

8. Test your installation by opening your configured domain in a web browser.

9. Once deployed, we recommend regularly [backing up your server](#) and [checking for system updates](#).

Installation procedure

Configure your domain

By default, Bitwarden will be served through ports 80 ([http](#)) and 443 ([https](#)) on the host machine. Open these ports so that Bitwarden can be accessed from within and/or outside of the network. You may opt to choose different ports during installation.

We recommend configuring a domain name with DNS records that point to your host machine (for example, [bitwarden.example.com](#)), especially if you are serving Bitwarden over the internet.

Install Docker and Docker Compose

Bitwarden will be deployed and run on your machine using an array of [Docker containers](#). Bitwarden can be run with any Docker edition or plan. Evaluate which edition is best for your installation. Deployment of containers is orchestrated using [Docker Compose](#). Docker Compose is automatically installed as a plugin when you download Docker Engine.

[Download Docker Engine for Linux](#).

Create Bitwarden local user & directory

We recommend configuring your Linux server with a dedicated `bitwarden` service account, from which to install and run Bitwarden. Doing so will isolate your Bitwarden instance from other applications running on your server.

These steps are Bitwarden-recommended best practices, but are not required. For more information, see Docker's [Post-installation steps for Linux](#) documentation.

1. Create a bitwarden user:

Bash

```
sudo adduser bitwarden
```

2. Set password for bitwarden user (strong password):

Bash

```
sudo passwd bitwarden
```

3. Create a docker group (if it doesn't already exist):

```
Bash
```

```
sudo groupadd docker
```

4. Add the bitwarden user to the docker group:

```
Bash
```

```
sudo usermod -aG docker bitwarden
```

5. Create a bitwarden directory:

```
Bash
```

```
sudo mkdir /opt/bitwarden
```

6. Set permissions for the `/opt/bitwarden` directory:

```
Bash
```

```
sudo chmod -R 700 /opt/bitwarden
```

7. Set the bitwarden user as owner of the `/opt/bitwarden` directory:

```
Bash
```

```
sudo chown -R bitwarden:bitwarden /opt/bitwarden
```

Install Bitwarden

Warning

If you have created a Bitwarden user & directory, complete the following as the `bitwarden` user from the `/opt/bitwarden` directory:

```
Bash
```

```
sudo su bitwarden
```

Do not install Bitwarden as root, as you will encounter issues during installation.

Bitwarden provides a shell script for easy installation on Linux and Windows (PowerShell). Complete the following steps to install Bitwarden using the shell script:

1. Download the Bitwarden installation script ([bitwarden.sh](#)) to your machine:

Bash

```
curl -Lso bitwarden.sh "https://func.bitwarden.com/api/dl/?app=self-host&platform=linux" && chmod 700 bitwarden.sh
```

2. Run the installer script. A `./bwdata` directory will be created relative to the location of `bitwarden.sh`.

Bash

```
./bitwarden.sh install
```

3. Complete the prompts in the installer:

- **Enter the domain name for your Bitwarden instance:**

Typically, this value should be the configured DNS record.

- **Do you want to use Let's Encrypt to generate a free SSL certificate? (y/n):**

Specify **y** to generate a trusted SSL certificate using Let's Encrypt. You will be prompted to enter an email address for expiration reminders from Let's Encrypt. For more information, see [Certificate Options](#).

Alternatively, specify **n** and use the **Do you have a SSL certificate to use?** option.

- **Enter your installation id:**

Retrieve an installation id using a valid email at <https://bitwarden.com/host>. For more information, see [what are my installation id and installation key used for?](#)

- **Enter your installation key:**

Retrieve an installation key using a valid email at <https://bitwarden.com/host>. For more information, see [What are my installation id and installation key used for?](#)

- **Enter your region (US/EU):**

Enter US or EU depending on the [cloud server](#) you will use to [license paid features](#), only applicable if you're connecting a self-hosted account or organization to a paid subscription.

- **Do you have a SSL certificate to use? (y/n):**

If you already have your own SSL certificate, specify **y** and place the necessary files in the `./bwdata/ssl/your.domain` directory. You will be asked whether it is a trusted SSL certificate (y/n). For more information, see [Certificate Options](#).

Alternatively, specify **n** and use the **self-signed SSL certificate?** option, which is only recommended for testing purposes.

- **Do you want to generate a self-signed SSL certificate? (y/n):**

Specify **y** to have Bitwarden generate a self-signed certificate for you. This option is only recommended for testing. For more information, see [Certificate Options](#).

If you specify **n**, your instance will not use an SSL certificate and you will be required to front your installation with a HTTPS proxy, or else Bitwarden applications will not function properly.

Post-install configuration

Configuring your environment can involve making changes to two files; an environment variables file and an installation file:

Environment variables (required)

Some features of Bitwarden are not configured by the `bitwarden.sh` script. Configure these settings by editing the environment file, located at `./bwdata/env/global.override.env`. **At a minimum, you should replace the values for:**

Bash

```
...
globalSettings__mail__smtp__host=<placeholder>
globalSettings__mail__smtp__port=<placeholder>
globalSettings__mail__smtp__ssl=<placeholder>
globalSettings__mail__smtp__username=<placeholder>
globalSettings__mail__smtp__password=<placeholder>
...
adminSettings__admins=
...
```

Replace `globalSettings__mail__smtp...=` placeholders to connect to the SMTP mail server that will be used to send verification emails to new users and invitations to organizations. Adding an email address to `adminSettings__admins=` will provision access to the System Administrator Portal.

After editing `global.override.env`, run the following command to apply your changes:

Bash

```
./bitwarden.sh restart
```

Installation file

The Bitwarden installation script uses settings in `./bwdata/config.yml` to generate the necessary assets for installation. Some installation scenarios (such as installations behind a proxy with alternate ports) may require adjustments to `config.yml` that were not provided during standard installation.

Edit `config.yml` as necessary and apply your changes by running:

Bash

```
./bitwarden.sh rebuild
```

Start Bitwarden

Once you have completed all previous steps, start your Bitwarden instance:

Bash

```
./bitwarden.sh start
```

Note

The first time you start Bitwarden it may take some time as it downloads all of the images from Docker Hub.

Verify that all containers are running correctly:

Bash

```
docker ps
```

```
bitwarden@bitwarden:/opt/bitwarden$ docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS                    PORTS                    NAMES
4b92b8f5ff16   bitwarden/nginx:1.38.2             "/entrypoint.sh"       2 minutes ago Up 2 minutes (healthy)   80/tcp, 0.0.0.0:80->8080/tcp, 0.0.0.0:443->8443/tcp bitwarden-nginx
b68c1df89320   bitwarden/portal:1.38.2            "/entrypoint.sh"       3 minutes ago Up 2 minutes (healthy)   5000/tcp bitwarden-portal
5731d5d966df   bitwarden/admin:1.38.2             "/entrypoint.sh"       3 minutes ago Up 2 minutes (healthy)   5000/tcp bitwarden-admin
0703a3bee3fd   bitwarden/identity:1.38.2          "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-identity
2000bd327f60   bitwarden/api:1.38.2               "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-api
523644f15d2f   bitwarden/web:2.17.1               "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-web
72e11ccc7d22   bitwarden/attachments:1.38.2       "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-attachments
4b6ad71a6c5c   bitwarden/sso:1.38.2               "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-sso
9e0e8cb75b29   bitwarden/events:1.38.2            "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-events
d91eff6f324f   bitwarden/notifications:1.38.2     "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-notifications
4ed457418a79   bitwarden/mssql:1.38.2             "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-mssql
feca5a34b82c   bitwarden/icons:1.38.2             "/entrypoint.sh"       3 minutes ago Up 3 minutes (healthy)   5000/tcp bitwarden-icons
```

docker-healthy.png

Congratulations! Bitwarden is now up and running at your specified domain (in the above example, <https://bitwarden.example.com>). Visit the web vault in your web browser to confirm that it's working.

You may now register a new account and log in. You will need to have configured `smtp` environment variables (see [Environment Variables](#)) in order to verify the email for your new account.

Tip

Once deployed, we recommend regularly [backing up your server](#) and [checking for system updates](#).

Next Steps:

- If you are planning to self-host a Bitwarden organization, see [self-host an organization](#) to get started.
- For additional information see [self hosting FAQs](#).

Script commands reference

The Bitwarden installation script (`bitwarden.sh` or `bitwarden.ps1`) has the following commands available:

Note

PowerShell users will run the commands with a prefixed `-` (switch). For example `.\bitwarden.ps1 -start`.

Command	Description
install	Start the installer.
start	Start all containers.
restart	Restart all containers (same as start).
stop	Stop all containers.
update	Update all containers and the database.
updatedb	Update/initialize the database.
updaterun	Update the <code>run.sh</code> file.
updateself	Update this main script.
updateconf	Update all containers without restarting the running instance.
uninstall	<p>Before this command executes, you will be prompted to save database files. <code>y</code> will create a tarfile of your database including the most recent backup.</p> <p>Stops containers, deletes the <code>bwdata</code> directory and all its contents, and removes ephemeral volumes. After executing, you will be asked whether you also want to purge all Bitwarden images.</p>
compresslogs	<p>Download a tarball of all server logs, or of server logs in a specified date range, to the current directory.</p> <p>For example, use <code>./bitwarden.sh compresslogs 20240304 20240305</code> to download logs from March 4th, 2024 to March 5th, 2024.</p>

Command	Description
renewcert	Renew certificates.
rebuild	Rebuild generated installation assets from <code>config.yml</code> .
help	List all commands.