

SÄKERHET > ENCRYPTION

Encryption Key Derivation

A series of light gray, wavy, horizontal lines that create a sense of motion and depth, filling the central area of the page.

View in the help center:

<https://bitwarden.com/help/kdf-algorithms/>

Encryption Key Derivation

Bitwarden first uses Key Derivation Functions (KDFs) on account creation to derive a master key for the account from the input master password, which acts as input for a master password hash for the account ([learn more](#)). Whenever a user is authenticated, for example when unlocking a vault or satisfying [master password re-prompt](#), the process is repeated so that the newly-derived hash can be compared to the originally-derived hash. If they match, the user is authenticated.

KDFs are used in this capacity to frustrate brute-force or dictionary attacks against a master password. KDFs force an attacker's machines to compute a non-trivial number of hashes for each password guess, at increasing cost to the attacker.

Two KDF algorithms are currently available for use in Bitwarden; **PBKDF2** and **Argon2**. Each algorithm has a selection of options available which can be used to increase the time and expense, or "work factor", imposed on the attacker.

PBKDF2

Password-Based Key Derivation Function 2 (PBKDF2) is [recommended by NIST](#) and, as implemented by Bitwarden, satisfies FIPS-140 requirements so long as default values are not changed.

PBKDF2, as implemented by Bitwarden, works by salting your master password with your username and running the resultant value through a one-way hash algorithm (HMAC-SHA-256) to create a fixed-length hash. This value is again salted with your username and hashed a configurable number of times (**KDF iterations**). The resultant value after all iterations is your master key, which acts as input for the master password hash used to authenticate that user whenever they log in ([learn more](#)).

By default, Bitwarden is set to iterate 600,000 times, as [recommended by OWASP](#) for HMAC-SHA-256 implementations. So long as the user does not set this value lower, the implementation is FIPS-140 compliant, but here are some tips should you choose to change your settings:

- More KDF iterations will increase **both** the time it will take an attacker to crack a password **and** the time it will take a legitimate user to log in.
- We recommend that you increase the value in increments of 100,000 and test all of your devices.

Argon2id

Argon2 is the winner of the 2015 [Password Hashing Competition](#). There are three versions of the algorithm, and Bitwarden has implemented Argon2id [as recommended by OWASP](#). Argon2id is a hybrid of other versions, using a combination of data-dependent and data-independent memory accesses, which gives it some of Argon2i's resistance to side-channel cache timing attacks and much of Argon2d's resistance to GPU cracking attacks ([source](#)).

Argon2, as implemented by Bitwarden, works by salting your master password with your username and running the resultant value through a one-way hash algorithm (BLAKE2b) to create a fixed-length hash.

Argon2 then allocates a portion of memory (**KDF memory**) and fills it with the computed hash until full. This is repeated, starting in the subsequent portion of memory where it left off in the first, a number of times iteratively (**KDF iterations**) across a number of threads (**KDF parallelism**). The resultant value after all iterations, is your master key, which acts as input for the master password hash used to authenticate that user whenever they log in ([learn more](#)).

By default, Bitwarden is set to allocate 64 MiB of memory, iterate over it 3 times, and do so across 4 threads. These defaults are above [current OWASP recommendations](#), but here are some tips should you choose to change your settings:

- Increasing **KDF iterations** will increase running time linearly.

- The amount of **KDF parallelism** you can use depends on your machine's CPU. Generally, $\text{Max. Parallelism} = \text{Num. of Cores} \times 2$.
- iOS limits app memory for autofill. Increasing memory from the default 64 MB may result in errors while unlocking the vault with autofill.

Changing KDF algorithm

Note

2023-02-14: Argon2 stöds av Bitwarden-klienter version 2023.2.0 och senare, och att byta till Argon2 via webbvalvet kan innebära att andra klienter inte kommer att kunna ladda ditt valv förrän de är uppdaterade, vanligtvis inom en vecka efter release.

To change your KDF algorithm, navigate to the **Settings → Security → Keys** page of the web vault. Changing the algorithm will re-encrypt the protected symmetric key and update the authentication hash, much like a normal master password change, but will not rotate the symmetric encryption key so vault data will not be re-encrypted. See [here](#) for information on re-encrypting your data.

When you change algorithm, you'll be logged out of all clients. Though the risk involved in [rotating your encryption key](#) does not exist when changing algorithm, we still recommend [exporting your vault](#) beforehand.

Low KDF iterations

In the [2023.2.0 release](#), Bitwarden increased the default number of KDF iterations for accounts using the [PBKDF2](#) algorithm to 600,000, in accordance with updated OWASP guidelines. This strengthens vault encryption against hackers armed with increasingly powerful devices. If you are using the PBKDF2 algorithm and have KDF iterations set below 600,000, **you'll receive a warning message encouraging you to increase your KDF settings**.

If you see this message, select the **Update KDF settings** button and either increase your PBKDF2 iterations to at least 600,000, or change your KDF algorithm to [Argon2id](#) with default settings. When you save these changes, you'll be logged out of all clients, so be sure that you know your master password and that your two-step login method is accessible.

Warning

Before making **any** changes to encryption settings, it is recommended that you backup your individual vault data first. See [Export Vault Data](#) for more information.

Changing the iteration count can help protect your master password from being brute forced by an attacker, however should not be viewed as a substitute to using a strong master password in the first place. A strong master password is always the first and best line of defense for your Bitwarden account.